

PlateSpin Forge® 11.1

Getting Started Guide

June 2015

Legal Notice

THIS DOCUMENT AND THE SOFTWARE DESCRIBED IN THIS DOCUMENT ARE FURNISHED UNDER AND ARE SUBJECT TO THE TERMS OF A LICENSE AGREEMENT OR A NON-DISCLOSURE AGREEMENT. EXCEPT AS EXPRESSLY SET FORTH IN SUCH LICENSE AGREEMENT OR NON-DISCLOSURE AGREEMENT, NETIQ CORPORATION PROVIDES THIS DOCUMENT AND THE SOFTWARE DESCRIBED IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. SOME STATES DO NOT ALLOW DISCLAIMERS OF EXPRESS OR IMPLIED WARRANTIES IN CERTAIN TRANSACTIONS; THEREFORE, THIS STATEMENT MAY NOT APPLY TO YOU.

For purposes of clarity, any module, adapter or other similar material ("Module") is licensed under the terms and conditions of the End User License Agreement for the applicable version of the NetIQ product or software to which it relates or interoperates with, and by accessing, copying or using a Module you agree to be bound by such terms. If you do not agree to the terms of the End User License Agreement you are not authorized to use, access or copy a Module and you must destroy all copies of the Module and contact NetIQ for further instructions.

This document and the software described in this document may not be lent, sold, or given away without the prior written permission of NetIQ Corporation, except as otherwise permitted by law. Except as expressly set forth in such license agreement or non-disclosure agreement, no part of this document or the software described in this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, or otherwise, without the prior written consent of NetIQ Corporation. Some companies, names, and data in this document are used for illustration purposes and may not represent real companies, individuals, or data.

This document could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein. These changes may be incorporated in new editions of this document. NetIQ Corporation may make improvements in or changes to the software described in this document at any time.

U.S. Government Restricted Rights: If the software and documentation are being acquired by or on behalf of the U.S. Government or by a U.S. Government prime contractor or subcontractor (at any tier), in accordance with 48 C.F.R. 227.7202-4 (for Department of Defense (DOD) acquisitions) and 48 C.F.R. 2.101 and 12.212 (for non-DOD acquisitions), the government's rights in the software and documentation, including its rights to use, modify, reproduce, release, perform, display or disclose the software or documentation, will be subject in all respects to the commercial license rights and restrictions provided in the license agreement.

© 2015 NetIQ Corporation. All Rights Reserved.

For information about NetIQ trademarks, see https://www.netiq.com/company/legal/.

License Grant

Licenses purchased for PlateSpin Forge 11 or later versions cannot be used for PlateSpin Forge 3.3 or prior versions.

Third-Party Software

Please refer to the *PlateSpin Third-Party License Usage and Copyright (https://www.netiq.com/documentation/platespin_licensing/platespin_licensing_qs/data/platespin_licensing_qs.html)* page for information about third party software used in PlateSpin Forge.

Contents

About this Book and the Library **5**
About NetIQ Corporation **7**

1 Getting Started with Your PlateSpin Forge Appliance **9**

1.1 Before You Begin . . . 9
1.2 Appliance Configuration Procedure . . . 9
1.3 Launching the PlateSpin Forge Web Interface . . . 11
1.4 Product Licensing . . . 12
1.4.1 Online License Activation . . . 12
1.4.2 Offline License Activation . . . 13
1.5 Post-Setup Tasks . . . 13

A PlateSpin Forge Configuration Worksheet **15**

A.1 Appliance Setup Parameters for Reference . . . 15

About this Book and the Library

This *Getting Started Guide* provides information about the basic steps required for setting up your PlateSpin Forge® appliance.

Intended Audience

This document is intended for IT staff, such as data center administrators and operators, who use PlateSpin Forge in their ongoing workload protection projects.

Information in the Library

The library for this product is available in HTML and PDF formats on the PlateSpin Forge Documentation (https://www.netiq.com/documentation/platespin-forge/) website. In addition to the English language, online documentation is available in the Chinese Simplified, Chinese Traditional, French, German, Japanese, and Spanish languages.

The PlateSpin Forge library provides the following information resources:

Release Notes

Provides information about new features and enhancements in the release, as well as any known issues.

Getting Started Guide

Provides information about how to configure the appliance for your environment.

User Guide

Provides conceptual information, an overview of the user interface, and step-by-step guidance for common tasks.

Rebuild Guide

Provides information about how to rebuild and reconfigure the appliance.

Upgrade Guide

Provides information about how to update the appliance software.

Help

Provides context-sensitive information and step-by-step guidance for common tasks as you work in the user interface.

Additional Resources

We encourage you to use the following additional resources online:

- PlateSpin Forge Forum (https://forums.netiq.com/forumdisplay.php?56-Platespin-Forge): A web-based community of product users where you can discuss product functionality and advice with other product users.
- PlateSpin Forge Product (https://www.netiq.com/products/forge/): A web-based product brochure that provides information about features, how to buy, technical specifications, frequently asked questions, and a variety of resources such as videos and white papers.
- NetIQ User Community (https://www.netiq.com/communities/): A web-based community with a variety of discussion topics.
- NetIQ Support Knowledgebase (https://www.netiq.com/support/kb/): A collection of in-depth technical articles.
- NetIQ Support Forums (https://forums.netiq.com/forum.php): A web location where product users can discuss NetIQ product functionality and advice with other product users.
- MyNetIQ (https://www.netiq.com/f/mynetiq/): A website offering product information and services, such as access to premium white papers, webcast registrations, and product trial downloads.

About NetIQ Corporation

We are a global, enterprise software company, with a focus on the three persistent challenges in your environment: Change, complexity and risk—and how we can help you control them.

Our Viewpoint

Adapting to change and managing complexity and risk are nothing new

In fact, of all the challenges you face, these are perhaps the most prominent variables that deny you the control you need to securely measure, monitor, and manage your physical, virtual, and cloud computing environments.

Enabling critical business services, better and faster

We believe that providing as much control as possible to IT organizations is the only way to enable timelier and cost effective delivery of services. Persistent pressures like change and complexity will only continue to increase as organizations continue to change and the technologies needed to manage them become inherently more complex.

Our Philosophy

Selling intelligent solutions, not just software

In order to provide reliable control, we first make sure we understand the real-world scenarios in which IT organizations like yours operate — day in and day out. That's the only way we can develop practical, intelligent IT solutions that successfully yield proven, measurable results. And that's so much more rewarding than simply selling software.

Driving your success is our passion

We place your success at the heart of how we do business. From product inception to deployment, we understand that you need IT solutions that work well and integrate seamlessly with your existing investments; you need ongoing support and training post-deployment; and you need someone that is truly easy to work with — for a change. Ultimately, when you succeed, we all succeed.

Our Solutions

- Identity & Access Governance
- Access Management
- Security Management
- Systems & Application Management
- Workload Management
- Service Management

Contacting Sales Support

For questions about products, pricing, and capabilities, contact your local partner. If you cannot contact your partner, contact our Sales Support team.

Worldwide:	www.netiq.com/about_netiq/officelocations.asp
United States and Canada:	1-888-323-6768
Email:	info@netiq.com
Website:	www.netiq.com

Contacting Technical Support

For specific product issues, please contact our Technical Support team.

Worldwide:	www.netiq.com/support/contactinfo.asp
North and South America:	1-713-418-5555
Europe, Middle East, and Africa:	+353 (0) 91-782 677
Email:	support@netiq.com
Website:	www.netiq.com/support

To learn more about the services and procedures of NetIQ Technical Support, see the *Technical Support Guide* (https://www.netiq.com/Support/process.asp#_Maintenance_Programs_and).

Contacting Documentation Support

Our goal is to provide documentation that meets your needs. The documentation for this product is available on the PlateSpin Forge Documentation (https://www.netiq.com/documentation/platespin-forge/) website in HTML and PDF formats.

If you have suggestions for documentation improvements, click **comment on this topic** at the bottom of any page in the HTML version of the documentation. You can also email Documentation-Feedback@netiq.com. We value your input and look forward to hearing from you.

Contacting the Online User Community

NetIQ Communities, the NetIQ online community, is a collaborative network connecting you to your peers and NetIQ experts. By providing more immediate information, useful links to helpful resources, and access to NetIQ experts, NetIQ Communities helps ensure you are mastering the knowledge you need to realize the full potential of IT investments upon which you rely. For more information, visit http://community.netiq.com.

1 Getting Started with Your PlateSpin Forge Appliance

PlateSpin Forge is a consolidated recovery hardware appliance that protects physical and virtual workloads by using embedded virtualization technology. If a production server outage or disaster occurs, the PlateSpin Forge recovery environment rapidly powers on workloads and continues to run them normally until you restore the production environment.

- Section 1.1, “Before You Begin,” on page 9
- Section 1.2, “Appliance Configuration Procedure,” on page 9
- Section 1.3, “Launching the PlateSpin Forge Web Interface,” on page 11
- Section 1.4, “Product Licensing,” on page 12
- Section 1.5, “Post-Setup Tasks,” on page 13

1.1 Before You Begin

In preparation for the initial configuration of your appliance, do the following tasks:

1. **Obtain your license activation code:** For product licensing, you must have a license activation code, emailed to the named contact of a PlateSpin Purchase Order. To view your activation code, log in to the Customer Center (http://www.netiq.com/customercenter/), using the same email address specified in your purchase order.
2. **Fill in the configuration worksheet:** Use the “PlateSpin Forge Configuration Worksheet” on page 15 to record the configuration of your current environment.
3. **Set up the hardware:** Unpack the PlateSpin Forge appliance and use the contents of this guide to help you mount and connect the hardware.

1.2 Appliance Configuration Procedure

The initial setup and configuration of the PlateSpin Forge appliance is a one-time procedure consisting of the following tasks:

1. Configuring the appliance host (VMware ESXi, which is the hypervisor component of the product).
2. Configuring the Forge Management VM (a Windows virtual machine with application logic running on the host).
3. Activating your product license.

Fill out the “PlateSpin Forge Configuration Worksheet” on page 15 before you start this procedure.

To begin the installation and configuration of the appliance, you need to connect to it directly through another computer (also referred to as the *administrative computer*) and use the browser-based Forge Appliance Configuration Console (ACC) utility. For flexibility and mobility, consider using a notebook computer for this purpose.

Use the following steps to install and configure the appliance:

1. Perform the preparatory steps described in "Before You Begin" on page 9.
2. Connect your administrative computer to the appliance. You can do this in two ways:
   - **Connection through a Network Switch:** Connect both units to a network switch or a hub through an Ethernet network cable:



   - **Direct Connection:** Connect your PlateSpin Forge appliance and the administrative computer directly through a crossover cable:



3. Turn on the power of the PlateSpin Forge appliance. Wait at least 10 minutes for the system to fully start before trying to connect.
4. Assign the administrative computer an IP address, in the `192.168.1.x` range and an associated subnet mask of `255.255.255.0` (or any IP address/subnet mask combination, ensuring that the computer is able to ping the appliance at its default IP address, `192.168.1.200`).

   NOTE: Do not use the following IP addresses:
   - 192.168.1.200 - used by the hypervisor
   - 192.168.1.210 - used by the Forge Management VM

   ---

5. Open a supported web browser and go to the Forge Appliance Configuration Console (Forge ACC) at `http://192.168.1.200:10000`.

   NOTE: Depending on your browser, you might have to type the entire URL, including the protocol (`http://`) in the browser's address bar.

   For a list of supported browsers, see "Launching the PlateSpin Forge Web Interface" on page 11.

   ---

6. Log in using the `root` account (password: `Password1`). The system redirects you to the Change Password page.
7. Change the password for the `root` account as well as for the `forgeuser` account, using the drop-down menu.

8. Log out of the Forge ACC, then click **Return home**.
9. Log in using the `forgeuser` account with the password that you set in Step 7.
10. Select **Configure Host**.

    NOTE: You must first configure the appliance host. Do not attempt to configure the Forge VM prior to this.

11. Specify the appropriate settings, then click **Apply**.
12. Click **Continue**.
13. After the configuration is complete, disconnect the administrative computer and connect the appliance to the production network (where the new IP address will be valid).
14. From the computer, go to `http://<appliance_IP_address>:10000`

    (If you are using the same computer, you need to change its IP address to one that is valid in your network).
15. Log in using the `forgeuser` account.
16. Click **Configure Forge VM**.
17. At the Configure Forge VM page, enter the appropriate settings, then click **Apply**.
18. At the summary page, click **Continue** and wait for the VM configuration to complete.
19. Navigate to the Forge UI at `http://<Forge_Management_VM_IP_address>/Forge`.
20. Log in using the default credentials for the Forge VM (username: `Administrator`, password: `Password1`).

1.3 Launching the PlateSpin Forge Web Interface

Most of your interaction with the product takes place through the browser-based PlateSpin Forge Web Interface.

The supported browsers are:

- *Google Chrome*, version 34.0 and later
- *Microsoft Internet Explorer*, version 11.0 and later
- *Mozilla Firefox*, version 29.0 and later

NOTE: JavaScript (Active Scripting) must be enabled in your browser.

To enable JavaScript:

- **Chrome:**
  1. From the Chrome menu, select **Settings**, then scroll to and click **Show advanced settings**.
  2. Under **Privacy**, click **Content Settings**.
  3. Scroll to **JavaScript**, then select **Allow all sites to run JavaScript**.
  4. Click **Done**.
- **Firefox:**
  1. In the Location bar, type `about:config` and press Enter.
  2. Click **I'll be careful, I promise!**

3. In the **Search** bar, type `javascript.enabled`, then press Enter.
4. In the search results, view the value for the `javascript.enabled` parameter. If its value is `false`, right-click `javascript.enabled` and select **Toggle** to set its value to `true`.

- **Internet Explorer:**
  1. From the Tools menu, select **Internet Options**.
  2. Select **Security**, then click **Custom level**.
  3. Scroll to **Scripting > Active scripting**, then select **Enable**.
  4. Click **Yes** at the warning dialog box, then click **OK**.
  5. Click **Apply** > **OK**.

To launch the PlateSpin Forge Web Interface:

1 Open a web browser and go to:

`http://<hostname|IP_address>/Forge`

NOTE: Replace *<hostname | IP_address>* with the hostname or the IP address of your Forge Management VM.

If SSL is enabled, use `https` in the URL.

The first time you log into PlateSpin Forge, the browser redirects to the License Activation page.

1.4 Product Licensing

For PlateSpin Forge product licensing, you must have a license activation code. If you do not have a license activation code, request one through the Customer Center website (http://www.netiq.com/customercenter/). A license activation code will be emailed to you.

NOTE: If you are an existing PlateSpin customer and you don't have a Customer Center account, you must first create one, using the same email address as specified in your purchase order. See Create Account (https://www.netiq.com/selfreg/jsp/createAccount.jsp).

You have two options for activating your product license: online or offline.

- Section 1.4.1, “Online License Activation,” on page 12
- Section 1.4.2, “Offline License Activation,” on page 13

1.4.1 Online License Activation

For online activation, PlateSpin Forge must have Internet access.

NOTE: HTTP proxies might cause failures during online activation. Offline activation is recommended for users in HTTP proxy environments.

To activate a license online, use the following steps:

1 In the PlateSpin Forge Web Interface, click **Add PlateSpin Forge License > Add License**.

2 On the License Activation page, select **Online Activation**, then specify the email address that you provided when you placed your order.

3 Specify the activation code you received, then click **Activate**.

   The system obtains the required license over the Internet and activates the product.

1.4.2 Offline License Activation

For offline activation, you obtain a PlateSpin Forge license key over the Internet by using a computer that has Internet access.

To activate a license offline, use the following steps:

1 In the PlateSpin Forge Web Interface, click **Add PlateSpin Forge License > Add License**.

2 On the License Activation page, select **Offline Activation** and copy the hardware ID shown.

3 In a different browser tab or window, go to the PlateSpin Product Activation website (http://www.platespin.com/productactivation/ActivateOrder.aspx), then use your hardware ID to create a license key file. This process requires the email address that you provided when you placed your order, as well as the activation code you received.

4 In the PlateSpin Forge Web Interface, type the path to the file or browse to its location, then click **Activate**.

   The license key file is saved and the product is activated based on this file.

1.5 Post-Setup Tasks

You need to consider and act upon the following tasks after you have set up the Forge appliance:

- ❒ (Optional; for international versions) Set up PlateSpin Forge and your browser for use in a specific supported language. See “Language Setup for International Versions of PlateSpin Forge” in the *PlateSpin Forge User Guide*.
- ❒ Configure appliance host networking to separate replication or failover traffic from your main production network. See “Setting up Appliance Host Networking” in the *PlateSpin Forge User Guide*.
- ❒ Configure SMTP settings and add email notification recipients. See “Setting Up Automatic Email Notifications of Events and Reports” in the *PlateSpin Forge User Guide*.
- ❒ (Optional) Add additional data storage capacity to Forge. See “Using External Storage Solutions with PlateSpin Forge” in the *PlateSpin Forge User Guide*.
- ❒ Familiarize yourself with the PlateSpin Forge Web Interface (see “Up and Running” in your *PlateSpin Forge User Guide*), as well as the workload protection life cycle (see “Basic Workflow for Workload Protection and Recovery” in the *PlateSpin Forge User Guide*).

A PlateSpin Forge Configuration Worksheet

Use the following worksheet to record your selections and configurations for future reference.

A.1 Appliance Setup Parameters for Reference

Parameters	Details
1. Forge Superuser/`root` (a.k.a. Forge Virtual Host)	Login: **`root`** Password (default: **`Password1`**): _____
2. Appliance Host Network Information	IP address: _____ Netmask: _____ Default Gateway (router) IP address: _____ DNS Server IP address: _____ Hostname (such as `forge`): _____
3. Forge Host Credentials	Host login: **`forgeuser`** Password: _____
4. VMware Infrastructure/vSphere Client	IP address / Name (from section 2): _____ User Name (from section 3): _____ Password (from section 3): _____
5. Forge Management VM network settings	**[ ] Use DHCP** **[ ] Use a static IP address** ◆ IP address: _____ ◆ Netmask: _____ ◆ Default Gateway (router) IP address: _____ ◆ DNS Server IP address: _____ ◆ Hostname: _____ ◆ DNS Suffix: _____

NOTES:

Parameters	Details
6. Join workgroup or domain	**[ ] Skip** **[ ] Yes** ◆ **[ ] Domain** ◆ Domain name: _____ ◆ Domain user: _____ ◆ Domain password: _____ ◆ **[ ] Workgroup** ◆ Workgroup name: _____
7. Forge Web Interface Credentials	Username (default: **`Administrator`**): _____ Password (default: **`Password1`**): _____
8. PlateSpin Forge License Activation	**[ ] Online Activation** ◆ Email Address (from the NetIQ Order email): _____ ◆ Activation Code (from NCC): _____ **[ ] Offline Activation** ◆ Hardware ID: _____ ◆ License File location: _____
9. Microsoft Windows Server 2012 License Key	Windows 2012 License Key: _____
10. Microsoft SQL Server 2014 Product Key	SQL Server 2014 Product Key: _____
11. VMware ESXi 5.5 License Key	ESXi 5.5 License Key: _____
12. Windows Server 2012 Local Administrator Password	User Name (default: **`Administrator`**): _____ Current password: _____ New password: _____
13. SMTP Settings (Optional settings for notifications)	SMTP Server Address: _____ Port (default: **`25`**): _____ Reply Address: _____ Username: _____ Password: _____
14. Notification Recipients (Optional)	Email Addresses (comma-separated list): _____ _____

NOTES: